PATENT ATTORNEY DOCKET NO. 01948/101002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Li et al.

Confirmation No.:

1967

Serial No.:

10/575,127

Art Unit:

1636

371 (c) Date:

June 11, 2007

Examiner:

Dunston, Jennifer Ann

Patent No.:

7,850,959

Customer No.:

21559

Issued:

December 14, 2010

Title:

METHODS AND COMPOSITIONS FOR TREATING CONDITIONS

INVOLVING ABNORMAL ANGIOGENESIS

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Applicant hereby requests that a Certificate of Correction be issued in the patent identified above. The errors to be corrected were either made by the U.S.P.T.O. or are of a minor, typographical nature, occurred in good faith, and are described in detail on the enclosed PTO Form 1050.

Authorization to charge \$100.00 to Deposit Account No. 03-2095 in payment of the fee set forth in 37 C.F.R. § 1.20(a) is submitted herewith. If there are any other charges or any credits, please apply them to Deposit Account 03-2095.

Respectfully submitted,

ker-Brady, Ph.D.

Clark & Elbing LLP 101 Federal Street Boston, MA 02110

Telephone: 617-428-0200 Facsimile: 617-428-7045

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. 7,850,959

DATED December 14, 2010

INVENTORS Li et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

- Cover page, under OTHER PUBLICATIONS, in Stewart et al., replace "vol. 36" with --vol. 37--.
- Column 3, Lines 62, replace "In an embodiment of all of aspects" with --In an embodiment of all of the aspects--.
- Column 6, Lines 54-55, replace "that reduces the reduces" with --that reduces--.
- Column 12, Line 29, replace "condition The" with --condition.

 The--.
- Column 13, Lines 41-42, replace "in the presence of absence of RTEF-1" with --in the presence or absence of RTEF-1--.
- Column 19, Line 10, replace "SRI)" with -- (MRI) --;

Line 20, replace "(I," with -- (MRI), --.

- Column 20, Line 30, replace "fall-length" with --full-length--.
- Column 22, Lines 39-40, replace "by at least 10%, %, but possibly even 100% or more" with --by at least 10%, but possibly even 100% or more--.
- Column 25, Lines 13-14, replace "is less tissue specific" with -- are less tissue specific--.
- Column 32, Line 54, replace "FGFR1 is has" with --FGFR1 has--.

MAILING ADDRESS OF SENDER:

Kristina Bieker-Brady, Ph.D.

Clark & Elbing LLP

101 Federal Street

Boston, MA 02110

Customer No.: 21559

SUBSTITUTE FORM PTO 1050

PATENT NO. 7,850,959 NO. ADDITIONAL COPIES @ 50¢ PER PAGE

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. 7,850,959

DATED December 14, 2010

INVENTORS Li et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 34, Lines 56-57, replace "because that the adenovirus" with --because the adenovirus--.

Column 35, Line 44, replace "arotic" with --aortic--.

MAILING ADDRESS OF SENDER:

Kristina Bieker-Brady, Ph.D.

Clark & Elbing LLP

101 Federal Street

Boston, MA 02110

Customer No.: 21559

SUBSTITUTE FORM PTO 1050

PATENT NO. 7,850,959 NO. ADDITIONAL COPIES @ 50¢ PER PAGE